Bituminous Systems - Standard Detail

GEORGIAN WIRED ROOFLIGHT TIMBER PACKING FIXED TO UPSTAND ΜÏN TO ACHIEVE A MINIMUM UPSTAND HEIGHT OF 150MM ABOVE THE WATERPROOFING **BAUDER** BAUDER UNDERLAYER CAPPING SHEET EXISTING UPSTAND **BAUDER** INSULATION BAUDER BAUDER VAPOUR DECK/SUBSTRATE ANGLE FILLET BARRIER

THIS IS A TYPICAL UPSTAND DETAIL WHICH CAN BE MODIFIED TO SUIT DIFFERENT STYLES OF ROOFLIGHTS

UPSTAND DETAIL TO GEORGIAN WIRED ROOFLIGHT

B02A

Issue	Date	Checked
1	5.3.07	PJF
2	28.07.09	PJF

NOT TO SCALE

Notes:

- This detail is of a conceptual nature and should only be used as such.
- This detail is suitable for the following systems: Bauder Total Roof System Bauderflex System System Airtech.

BAUDER

UK OFFICE

Bauder Limited

70 Landseer Road, Ipswich, Suffolk IP3 0DH, England.

T: +44 (0)1473 257671

F: +44 (0)1473 230761

E: technical@bauder.co.uk

bauder.co.uk

IRELAND OFFICE

Bauder Limited

O'Duffy Centre, Cross Lane, Carrickmacross, Co. Monaghan, Ireland.

T: +353 (0)42 9692 333

F: +353 (0)42 9692 839

E: technical@bauder.ie

bauder.ie