

Project HAMWORTHY PARK, POOLE PADDLING POOL					Status				
Date By Checked	01/11/18 RA RM	Job no 70044842	Drawing no 70044842-WSP-SGN-DR-CB-0021		Schedule no 1/10	Rev A			
Rev		Date	Details			Tel			
			CENTRAL SECTION CONCRETE OUTLINE AND REINFORCEMENT			Fax			
Part									

Member	Bar Mark	Type and Size	No of mbrs	No of bars in each	Total no of bars	Length of each bar mm +	Shape Code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Rev letter
Central Section	01a	B16	1	4	4	2500	00						
	01b	B16	1	4	4	3375	00						
	01c	B16	1	4	4	4175	00						
	01d	B16	1	4	4	4850	00						
	01e	B16	1	4	4	5475	00						
	01f	B16	1	4	4	6025	00						
	01g	B16	1	4	4	6525	00						
	01h	B16	1	4	4	6975	00						
	02a	B16	1	4	4	3100	00						
	02b	B16	1	4	4	3975	00						
	02c	B16	1	4	4	4775	00						
	02d	B16	1	4	4	5450	00						
	02e	B16	1	4	4	6075	00						
	02f	B16	1	4	4	6625	00						
	02g	B16	1	4	4	7125	00						
	02h	B16	1	4	4	7575	00						
	03a	B16	1	4	4	5575	00						
	03b	B16	1	4	4	5775	00						
	03c	B16	1	4	4	5975	00						
	03d	B16	1	4	4	6150	00						
	03e	B16	1	4	4	6325	00						
	03f	B16	1	4	4	6475	00						
	03g	B16	1	4	4	6625	00						

This schedule complies with BS 8666:2005

* Specified in multiples of 5 mm.

+ Specified in multiples of 25mm

WSP Group Plc

Project HAMWORTHY PARK, POOLE PADDLING POOL					Status				
Date By Checked	01/11/18 RA RM	Job no 70044842	Drawing no 70044842-WSP-SGN-DR-CB-0021		Schedule no 2/10	Rev A			
Rev		Date	Details			Tel			
			CENTRAL SECTION CONCRETE OUTLINE AND REINFORCEMENT			Fax			
Part									

Member	Bar Mark	Type and Size	No of mbrs	No of bars in each	Total no of bars	Length of each bar mm +	Shape Code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Rev letter
Central Section	03h	B16	1	4	4	6775	00						
	03i	B16	1	4	4	6900	00						
	03j	B16	1	4	4	7050	00						
	03k	B16	1	4	4	7175	00						
	03l	B16	1	4	4	7300	00						
	03m	B16	1	4	4	7400	00						
	03n	B16	1	4	4	7500	00						
	03o	B16	1	4	4	7625	00						
	03p	B16	1	4	4	7700	00						
	03q	B16	1	4	4	7800	00						
	03r	B16	1	4	4	7900	00						
	03s	B16	1	4	4	7975	00						
	03t	B16	1	4	4	8050	00						
	03u	B16	1	4	4	8150	00						
	03v	B16	1	4	4	8225	00						
	03w	B16	1	4	4	8275	00						
	03x	B16	1	4	4	8350	00						
	03y	B16	1	4	4	8400	00						
	03z	B16	1	4	4	8475	00						
	03aa	B16	1	4	4	8525	00						
	03ab	B16	1	4	4	8575	00						
	03ac	B16	1	4	4	8625	00						
	03ad	B16	1	4	4	8675	00						

This schedule complies with BS 8666:2005

* Specified in multiples of 5 mm.

+ Specified in multiples of 25mm

WSP Group Plc

Project HAMWORTHY PARK, POOLE PADDLING POOL				Status			
Date By Checked	01/11/18 RA RM	Job no 70044842	Drawing no 70044842-WSP-SGN-DR-CB-0021		Schedule no 3/10		Rev A
Rev	Date	Details					Tel
CENTRAL SECTION CONCRETE OUTLINE AND REINFORCEMENT				Fax			
Part							

Member	Bar Mark	Type and Size	No of mbrs	No of bars in each	Total no of bars	Length of each bar mm +	Shape Code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Rev letter
Central Section	03ae	B16	1	4	4	8725	00						
	03af	B16	1	4	4	8750	00						
	03ag	B16	1	4	4	8800	00						
	03ah	B16	1	4	4	8825	00						
	03ai	B16	1	4	4	8850	00						
	03aj	B16	1	4	4	8875	00						
	03ak	B16	1	4	4	8900	00						
	03al	B16	1	4	4	8925	00						
	03am	B16	1	4	4	8950	00						
	03an	B16	1	4	4	8975	00						
	03ao	B16	1	4	4	8975	00						
	03ap	B16	1	4	4	9000	00						
	03aq	B16	1	4	4	9000	00						
	03ar	B16	1	4	4	9000	00						
	03as	B16	1	4	4	9000	00						
	04a	B16	1	4	4	5875	00						
	04b	B16	1	4	4	6075	00						
	04c	B16	1	4	4	6275	00						
	04d	B16	1	4	4	6450	00						
	04e	B16	1	4	4	6625	00						
	04f	B16	1	4	4	6775	00						
	04g	B16	1	4	4	6925	00						
	04h	B16	1	4	4	7075	00						

This schedule complies with BS 8666:2005

* Specified in multiples of 5 mm.

+ Specified in multiples of 25mm

WSP Group Plc

Project HAMWORTHY PARK, POOLE PADDLING POOL					Status				
Date By Checked	01/11/18 RA RM	Job no 70044842	Drawing no 70044842-WSP-SGN-DR-CB-0021		Schedule no 4/10	Rev A			
Rev		Date	Details			Tel			
			CENTRAL SECTION CONCRETE OUTLINE AND REINFORCEMENT			Fax			
Part									

Member	Bar Mark	Type and Size	No of mbrs	No of bars in each	Total no of bars	Length of each bar mm +	Shape Code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Rev letter
Central Section	04i	B16	1	4	4	7200	00						
	04j	B16	1	4	4	7350	00						
	04k	B16	1	4	4	7475	00						
	04l	B16	1	4	4	7600	00						
	04m	B16	1	4	4	7700	00						
	04n	B16	1	4	4	7800	00						
	04o	B16	1	4	4	7925	00						
	04p	B16	1	4	4	8000	00						
	04q	B16	1	4	4	8100	00						
	04r	B16	1	4	4	8200	00						
	04s	B16	1	4	4	8275	00						
	04t	B16	1	4	4	8350	00						
	04u	B16	1	4	4	8450	00						
	04v	B16	1	4	4	8525	00						
	04w	B16	1	4	4	8575	00						
	04x	B16	1	4	4	8650	00						
	04y	B16	1	4	4	8700	00						
	04z	B16	1	4	4	8775	00						
	04aa	B16	1	4	4	8825	00						
	04ab	B16	1	4	4	8875	00						
	04ac	B16	1	4	4	8925	00						
	04ad	B16	1	4	4	8975	00						
	04ae	B16	1	4	4	9025	00						

This schedule complies with BS 8666:2005

* Specified in multiples of 5 mm.

+ Specified in multiples of 25mm

Project HAMWORTHY PARK, POOLE PADDLING POOL					Status				
Date By Checked	01/11/18 RA RM	Job no 70044842	Drawing no 70044842-WSP-SGN-DR-CB-0021		Schedule no 5/10	Rev A			
Rev		Date	Details			Tel			
			CENTRAL SECTION CONCRETE OUTLINE AND REINFORCEMENT			Fax			
Part									

Member	Bar Mark	Type and Size	No of mbrs	No of bars in each	Total no of bars	Length of each bar mm +	Shape Code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Rev letter
Central Section	04af	B16	1	4	4	9050	00						
	04ag	B16	1	4	4	9100	00						
	04ah	B16	1	4	4	9125	00						
	04ai	B16	1	4	4	9150	00						
	04aj	B16	1	4	4	9175	00						
	04ak	B16	1	4	4	9200	00						
	04al	B16	1	4	4	9225	00						
	04am	B16	1	4	4	9250	00						
	04an	B16	1	4	4	9275	00						
	04ao	B16	1	4	4	9275	00						
	04ap	B16	1	4	4	9300	00						
	04aq	B16	1	4	4	9300	00						
	04ar	B16	1	4	4	9300	00						
	04as	B16	1	4	4	9300	00						
	05a	B16	1	4	4	3175	00						
	05b	B16	1	4	4	3350	00						
	05c	B16	1	4	4	3550	00						
	05d	B16	1	4	4	3725	00						
	05e	B16	1	4	4	3900	00						
	05f	B16	1	4	4	4075	00						
	05g	B16	1	4	4	4225	00						
	05h	B16	1	4	4	4375	00						
	05i	B16	1	4	4	4500	00						

This schedule complies with BS 8666:2005

* Specified in multiples of 5 mm.

+ Specified in multiples of 25mm

WSP Group Plc

Project HAMWORTHY PARK, POOLE PADDLING POOL					Status			
Date By Checked	01/11/18 RA RM	Job no 70044842	Drawing no 70044842-WSP-SGN-DR-CB-0021		Schedule no 6/10	Rev A		
Rev	Date	Details				Tel		
CENTRAL SECTION CONCRETE OUTLINE AND REINFORCEMENT				Fax				
Part								

Member	Bar Mark	Type and Size	No of mbrs	No of bars in each	Total no of bars	Length of each bar mm +	Shape Code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Rev letter
Central Section	05j	B16	1	4	4	4625	00						
	05k	B16	1	4	4	4750	00						
	05l	B16	1	4	4	4875	00						
	05m	B16	1	4	4	5000	00						
	05n	B16	1	4	4	5100	00						
	05o	B16	1	4	4	5200	00						
	05p	B16	1	4	4	5300	00						
	05q	B16	1	4	4	5400	00						
	05r	B16	1	4	4	5500	00						
	05s	B16	1	4	4	5575	00						
	05t	B16	1	4	4	5650	00						
	05u	B16	1	4	4	5725	00						
	05v	B16	1	4	4	5800	00						
	05w	B16	1	4	4	5875	00						
	05x	B16	1	4	4	5950	00						
	05y	B16	1	4	4	6000	00						
	05z	B16	1	4	4	6075	00						
	05aa	B16	1	4	4	6125	00						
	05ab	B16	1	4	4	6175	00						
	05ac	B16	1	4	4	6225	00						
	05ad	B16	1	4	4	6275	00						
	05ae	B16	1	4	4	6300	00						
	05af	B16	1	4	4	6350	00						

This schedule complies with BS 8666:2005

* Specified in multiples of 5 mm.

+ Specified in multiples of 25mm

Project HAMWORTHY PARK, POOLE PADDLING POOL					Status				
Date By Checked	01/11/18 RA RM	Job no 70044842	Drawing no 70044842-WSP-SGN-DR-CB-0021		Schedule no 7/10	Rev A			
Rev		Date	Details			Tel			
			CENTRAL SECTION CONCRETE OUTLINE AND REINFORCEMENT			Fax			
Part									

Member	Bar Mark	Type and Size	No of mbrs	No of bars in each	Total no of bars	Length of each bar mm +	Shape Code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Rev letter
Central Section	05ag	B16	1	4	4	6400	00						
	05ah	B16	1	4	4	6425	00						
	05ai	B16	1	4	4	6450	00						
	05aj	B16	1	4	4	6475	00						
	05ak	B16	1	4	4	6500	00						
	05al	B16	1	4	4	6525	00						
	05am	B16	1	4	4	6550	00						
	05an	B16	1	4	4	6575	00						
	05ao	B16	1	4	4	6575	00						
	05ap	B16	1	4	4	6600	00						
	05aq	B16	1	4	4	6600	00						
	05ar	B16	1	4	4	6600	00						
	05as	B16	1	4	4	6600	00						
	06a	B16	1	4	4	2575	00						
	06b	B16	1	4	4	2750	00						
	06c	B16	1	4	4	2950	00						
	06d	B16	1	4	4	3125	00						
	06e	B16	1	4	4	3300	00						
	06f	B16	1	4	4	3475	00						
	06g	B16	1	4	4	3625	00						
	06h	B16	1	4	4	3775	00						
	06i	B16	1	4	4	3900	00						
	06j	B16	1	4	4	4025	00						

This schedule complies with BS 8666:2005

* Specified in multiples of 5 mm.

+ Specified in multiples of 25mm

WSP Group Plc

Project HAMWORTHY PARK, POOLE PADDLING POOL					Status				
Date By Checked	01/11/18 RA RM	Job no 70044842	Drawing no 70044842-WSP-SGN-DR-CB-0021		Schedule no 8/10	Rev A			
Rev		Date	Details			Tel			
			CENTRAL SECTION CONCRETE OUTLINE AND REINFORCEMENT			Fax			
Part									

Member	Bar Mark	Type and Size	No of mbrs	No of bars in each	Total no of bars	Length of each bar mm +	Shape Code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Rev letter
Central Section	06k	B16	1	4	4	4150	00						
	06l	B16	1	4	4	4275	00						
	06m	B16	1	4	4	4400	00						
	06n	B16	1	4	4	4500	00						
	06o	B16	1	4	4	4600	00						
	06p	B16	1	4	4	4700	00						
	06q	B16	1	4	4	4800	00						
	06r	B16	1	4	4	4900	00						
	06s	B16	1	4	4	4975	00						
	06t	B16	1	4	4	5050	00						
	06u	B16	1	4	4	5125	00						
	06v	B16	1	4	4	5200	00						
	06w	B16	1	4	4	5275	00						
	06x	B16	1	4	4	5350	00						
	06y	B16	1	4	4	5400	00						
	06z	B16	1	4	4	5475	00						
	06aa	B16	1	4	4	5525	00						
	06ab	B16	1	4	4	5575	00						
	06ac	B16	1	4	4	5625	00						
	06ad	B16	1	4	4	5675	00						
	06ae	B16	1	4	4	5700	00						
	06af	B16	1	4	4	5750	00						
	06ag	B16	1	4	4	5800	00						

This schedule complies with BS 8666:2005

* Specified in multiples of 5 mm.

+ Specified in multiples of 25mm

WSP Group Plc

Project HAMWORTHY PARK, POOLE PADDLING POOL					Status			
Date By Checked	01/11/18 RA RM	Job no 70044842	Drawing no 70044842-WSP-SGN-DR-CB-0021		Schedule no 9/10	Rev A		
Rev	Date	Details				Tel		
CENTRAL SECTION CONCRETE OUTLINE AND REINFORCEMENT				Fax				
Part								

Member	Bar Mark	Type and Size	No of mbrs	No of bars in each	Total no of bars	Length of each bar mm +	Shape Code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Rev letter
Central Section	06ah	B16	1	4	4	5825	00						
	06ai	B16	1	4	4	5850	00						
	06aj	B16	1	4	4	5875	00						
	06ak	B16	1	4	4	5900	00						
	06al	B16	1	4	4	5925	00						
	06am	B16	1	4	4	5950	00						
	06an	B16	1	4	4	5975	00						
	06ao	B16	1	4	4	5975	00						
	06ap	B16	1	4	4	6000	00						
	06aq	B16	1	4	4	6000	00						
	06ar	B16	1	4	4	6000	00						
	06as	B16	1	4	4	6000	00						
	07	B16	1	212	212	4075	21	1300	220	(2600)			
	08	B16	1	212	212	4025	21	1300	170	(2600)			
	09a	B16	1	2	2	2425	51	860	220	(210)	(210)		
	09b	B16	1	2	2	7175	51	3240	220	(210)	(210)		
	10a	B16	1	2	2	2325	51	860	170	(210)	(210)		
	10b	B16	1	2	2	7075	51	3240	170	(210)	(210)		

This schedule complies with BS 8666:2005

* Specified in multiples of 5 mm.

+ Specified in multiples of 25mm

Project HAMWORTHY PARK, POOLE PADDLING POOL				Status		
Date 01/11/18	Job no 70044842	Drawing no 70044842-WSP-SGN-DR-CB-0021		Total No. of Sheets 10	Rev A	
By RA						
Checked RM						
Rev	Date	Details CENTRAL SECTION CONCRETE OUTLINE AND REINFORCEMENT D				Tel
						Fax
Part						

Please Note : Bars prefix "X" are of a grade defined in the design or contract specification.

Reinforcement Weight Summary (Tonnes)

Bar Size (mm)	Straight Bars	Standard Bent Bars	Special Bent Bars	Straight&Bent Grade(X)	Total
6	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00
16	8127.836	2773.216	0.00	0.00	10901.052
20	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	0.00
32	0.00	0.00	0.00	0.00	0.00
40	0.00	0.00	0.00	0.00	0.00
50	0.00	0.00	0.00	0.00	0.00
Total	8127.836	2773.216	0.00	0.00	10.901052

Any Mesh Reinforcement on the related bending schedules are not included in the bar weights

Sht	Weight	Sht	Weight	Sht	Weight	Sht	Weight
1	805.8	9	3223.674	17	0.00	25	0.00
2	1146.606	10	0.00	18	0.00	26	0.00
3	1173.15	11	0.00	19	0.00	27	0.00
4	1202.538	12	0.00	20	0.00	28	0.00
5	1035.848	13	0.00	21	0.00	29	0.00
6	820.652	14	0.00	22	0.00	30	0.00
7	748.13	15	0.00	23	0.00	31	0.00
8	744.654	16	0.00	24	0.00	32	0.00