

Project HAMWORTHY PARK, POOLE PADDLING POOL						Status				
Date By Checked	01/11/18 RA RBP	Job no 70044842	Drawing no 70044842-WSP-SGN-DR-CB-0023		Schedule no 1/13	Rev A				
Rev		Date	Details				Tel			
			OUTER SEGMENT TYPE B CONCRETE OUTLINE AND REINFORCEMENT				Fax			
Part										

Member	Bar Mark	Type and Size	No of mbrs	No of bars in each	Total no of bars	Length of each bar mm +	Shape Code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Rev letter
Outer Section Type B	01	B12	2	116	232	1675	51	270	460	(160)	(160)		
	02	B16	2	174	348	3975	21	2600	220	(1200)			
	03	B16	2	116	232	7725	00						
	04	B16	2	58	116	7025	00						
	05a	B16	2	1	2	4575	00						
	05b	B16	2	1	2	4675	00						
	05c	B16	2	1	2	4775	00						
	05d	B16	2	1	2	4850	00						
	05e	B16	2	1	2	4950	00						
	05f	B16	2	1	2	5025	00						
	05g	B16	2	1	2	5125	00						
	05h	B16	2	1	2	5225	00						
	05i	B16	2	1	2	5300	00						
	05j	B16	2	1	2	5400	00						
	05k	B16	2	1	2	5475	00						
	05l	B16	2	1	2	5575	00						
	05m	B16	2	1	2	5675	00						
	05n	B16	2	1	2	5750	00						
	05o	B16	2	1	2	5850	00						
	05p	B16	2	1	2	5925	00						
	05q	B16	2	1	2	6025	00						
	05r	B16	2	1	2	6125	00						
	05s	B16	2	1	2	6200	00						

This schedule complies with BS 8666:2005

* Specified in multiples of 5 mm.

+ Specified in multiples of 25mm

WSP Group Plc

Project HAMWORTHY PARK, POOLE PADDLING POOL					Status				
Date By Checked	01/11/18 RA RBP	Job no 70044842	Drawing no 70044842-WSP-SGN-DR-CB-0023		Schedule no 2/13	Rev A			
Rev		Date	Details			Tel			
			OUTER SEGMENT TYPE B CONCRETE OUTLINE AND REINFORCEMENT			Fax			
Part									

Member	Bar Mark	Type and Size	No of mbrs	No of bars in each	Total no of bars	Length of each bar mm +	Shape Code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Rev letter
Outer Section Type B	05t	B16	2	1	2	6300	00						
	05u	B16	2	1	2	6375	00						
	05v	B16	2	1	2	6475	00						
	05w	B16	2	1	2	6575	00						
	05x	B16	2	1	2	6650	00						
	05y	B16	2	1	2	6750	00						
	05z	B16	2	1	2	6825	00						
	05aa	B16	2	1	2	6925	00						
	05ab	B16	2	1	2	7025	00						
	05ac	B16	2	1	2	7100	00						
	05ad	B16	2	1	2	7200	00						
	05ae	B16	2	1	2	7275	00						
	05af	B16	2	1	2	7375	00						
	05ag	B16	2	1	2	7475	00						
	05ah	B16	2	1	2	7550	00						
	05ai	B16	2	1	2	7650	00						
	05aj	B16	2	1	2	7725	00						
	05ak	B16	2	1	2	7825	00						
	05al	B16	2	1	2	7925	00						
	05am	B16	2	1	2	8000	00						
	05an	B16	2	1	2	8100	00						
	05ao	B16	2	1	2	8200	00						
	05ap	B16	2	1	2	8275	00						

This schedule complies with BS 8666:2005

* Specified in multiples of 5 mm.

+ Specified in multiples of 25mm

Project HAMWORTHY PARK, POOLE PADDLING POOL				Status			
Date By Checked	01/11/18 RA RBP	Job no 70044842	Drawing no 70044842-WSP-SGN-DR-CB-0023		Schedule no 3/13		Rev A
Rev	Date	Details					Tel
OUTER SEGMENT TYPE B CONCRETE OUTLINE AND REINFORCEMENT				Fax			
Part							

Member	Bar Mark	Type and Size	No of mbrs	No of bars in each	Total no of bars	Length of each bar mm +	Shape Code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Rev letter
Outer Section Type B	05aq	B16	2	1	2	8375	00						
	05ar	B16	2	1	2	8450	00						
	05as	B16	2	1	2	8550	00						
	05at	B16	2	1	2	8650	00						
	05au	B16	2	1	2	8725	00						
	05av	B16	2	1	2	8825	00						
	05aw	B16	2	1	2	8900	00						
	05ax	B16	2	1	2	9000	00						
	05ay	B16	2	1	2	9100	00						
	05az	B16	2	1	2	9175	00						
	05ba	B16	2	1	2	9275	00						
	05bb	B16	2	1	2	9350	00						
	05bc	B16	2	1	2	9450	00						
	05bd	B16	2	1	2	9550	00						
	05be	B16	2	1	2	9625	00						
	05bf	B16	2	1	2	9725	00						
	05bg	B16	2	1	2	9800	00						
	05bh	B16	2	1	2	9900	00						
	05bi	B16	2	1	2	10000	00						
	05bj	B16	2	1	2	10075	00						
	05bk	B16	2	1	2	10175	00						
	06a	B16	2	1	2	3575	00						
	06b	B16	2	1	2	3650	00						

This schedule complies with BS 8666:2005

* Specified in multiples of 5 mm.

+ Specified in multiples of 25mm

WSP Group Plc

Project HAMWORTHY PARK, POOLE PADDLING POOL					Status				
Date By Checked	01/11/18 RA RBP	Job no 70044842	Drawing no 70044842-WSP-SGN-DR-CB-0023		Schedule no 4/13	Rev A			
Rev		Date	Details			Tel			
			OUTER SEGMENT TYPE B CONCRETE OUTLINE AND REINFORCEMENT			Fax			
Part									

Member	Bar Mark	Type and Size	No of mbrs	No of bars in each	Total no of bars	Length of each bar mm +	Shape Code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Rev letter
Outer Section Type B	06c	B16	2	1	2	3700	00						
	06d	B16	2	1	2	3775	00						
	06e	B16	2	1	2	3850	00						
	06f	B16	2	1	2	3900	00						
	06g	B16	2	1	2	3975	00						
	06h	B16	2	1	2	4050	00						
	06i	B16	2	1	2	4100	00						
	06j	B16	2	1	2	4175	00						
	06k	B16	2	1	2	4250	00						
	06l	B16	2	1	2	4300	00						
	06m	B16	2	1	2	4375	00						
	06n	B16	2	1	2	4450	00						
	06o	B16	2	1	2	4500	00						
	06p	B16	2	1	2	4575	00						
	06q	B16	2	1	2	4650	00						
	06r	B16	2	1	2	4700	00						
	06s	B16	2	1	2	4775	00						
	06t	B16	2	1	2	4850	00						
	06u	B16	2	1	2	4900	00						
	06v	B16	2	1	2	4975	00						
	06w	B16	2	1	2	5050	00						
	06x	B16	2	1	2	5100	00						
	06y	B16	2	1	2	5175	00						

This schedule complies with BS 8666:2005

* Specified in multiples of 5 mm.

+ Specified in multiples of 25mm

WSP Group Plc

Project HAMWORTHY PARK, POOLE PADDLING POOL					Status				
Date By Checked	01/11/18 RA RBP	Job no 70044842	Drawing no 70044842-WSP-SGN-DR-CB-0023		Schedule no 5/13	Rev A			
Rev		Date	Details			Tel			
			OUTER SEGMENT TYPE B CONCRETE OUTLINE AND REINFORCEMENT			Fax			
Part									

Member	Bar Mark	Type and Size	No of mbrs	No of bars in each	Total no of bars	Length of each bar mm +	Shape Code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Rev letter
Outer Section Type B	06z	B16	2	1	2	5250	00						
	06aa	B16	2	1	2	5300	00						
	06ab	B16	2	1	2	5375	00						
	06ac	B16	2	1	2	5450	00						
	06ad	B16	2	1	2	5500	00						
	06ae	B16	2	1	2	5575	00						
	06af	B16	2	1	2	5650	00						
	06ag	B16	2	1	2	5700	00						
	06ah	B16	2	1	2	5775	00						
	06ai	B16	2	1	2	5850	00						
	06aj	B16	2	1	2	5900	00						
	06ak	B16	2	1	2	5975	00						
	06al	B16	2	1	2	6050	00						
	06am	B16	2	1	2	6100	00						
	06an	B16	2	1	2	6175	00						
	06ao	B16	2	1	2	6250	00						
	06ap	B16	2	1	2	6300	00						
	06aq	B16	2	1	2	6375	00						
	06ar	B16	2	1	2	6450	00						
	06as	B16	2	1	2	6500	00						
	06at	B16	2	1	2	6575	00						
	06au	B16	2	1	2	6650	00						
	06av	B16	2	1	2	6700	00						

This schedule complies with BS 8666:2005

* Specified in multiples of 5 mm.

+ Specified in multiples of 25mm

Project HAMWORTHY PARK, POOLE PADDLING POOL					Status			
Date By Checked	01/11/18 RA RBP	Job no 70044842	Drawing no 70044842-WSP-SGN-DR-CB-0023		Schedule no 6/13	Rev A		
Rev	Date	Details				Tel		
OUTER SEGMENT TYPE B CONCRETE OUTLINE AND REINFORCEMENT				Fax				
Part								

Member	Bar Mark	Type and Size	No of mbrs	No of bars in each	Total no of bars	Length of each bar mm +	Shape Code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Rev letter
Outer Section Type B	06aw	B16	2	1	2	6775	00						
	06ax	B16	2	1	2	6850	00						
	06ay	B16	2	1	2	6900	00						
	06az	B16	2	1	2	6975	00						
	06ba	B16	2	1	2	7050	00						
	06bb	B16	2	1	2	7100	00						
	06bc	B16	2	1	2	7175	00						
	06bd	B16	2	1	2	7250	00						
	06be	B16	2	1	2	7300	00						
	06bf	B16	2	1	2	7375	00						
	06bg	B16	2	1	2	7450	00						
	06bh	B16	2	1	2	7500	00						
	06bi	B16	2	1	2	7575	00						
	06bj	B16	2	1	2	7650	00						
	06bk	B16	2	1	2	7700	00						
	07	B16	2	126	252	3925	21	2600	170	(1200)			
	08a	B16	2	1	2	3250	00						
	08b	B16	2	1	2	3325	00						
	08c	B16	2	1	2	3400	00						
	08d	B16	2	1	2	3450	00						
	08e	B16	2	1	2	3525	00						
	08f	B16	2	1	2	3600	00						
	08g	B16	2	1	2	3650	00						

This schedule complies with BS 8666:2005

* Specified in multiples of 5 mm.

+ Specified in multiples of 25mm

WSP Group Plc

Project HAMWORTHY PARK, POOLE PADDLING POOL					Status				
Date By Checked	01/11/18 RA RBP	Job no 70044842	Drawing no 70044842-WSP-SGN-DR-CB-0023		Schedule no 7/13	Rev A			
Rev		Date	Details			Tel			
			OUTER SEGMENT TYPE B CONCRETE OUTLINE AND REINFORCEMENT			Fax			
Part									

Member	Bar Mark	Type and Size	No of mbrs	No of bars in each	Total no of bars	Length of each bar mm +	Shape Code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Rev letter
Outer Section Type B	08h	B16	2	1	2	3725	00						
	08i	B16	2	1	2	3800	00						
	08j	B16	2	1	2	3850	00						
	08k	B16	2	1	2	3925	00						
	08l	B16	2	1	2	4000	00						
	08m	B16	2	1	2	4050	00						
	08n	B16	2	1	2	4125	00						
	08o	B16	2	1	2	4200	00						
	08p	B16	2	1	2	4250	00						
	08q	B16	2	1	2	4325	00						
	08r	B16	2	1	2	4400	00						
	08s	B16	2	1	2	4450	00						
	08t	B16	2	1	2	4525	00						
	08u	B16	2	1	2	4600	00						
	08v	B16	2	1	2	4675	00						
	08w	B16	2	1	2	4725	00						
	08x	B16	2	1	2	4800	00						
	08y	B16	2	1	2	4875	00						
	08z	B16	2	1	2	4925	00						
	08aa	B16	2	1	2	5000	00						
	08ab	B16	2	1	2	5075	00						
	08ac	B16	2	1	2	5125	00						
	08ad	B16	2	1	2	5200	00						

This schedule complies with BS 8666:2005

* Specified in multiples of 5 mm.

+ Specified in multiples of 25mm

WSP Group Plc

Project HAMWORTHY PARK, POOLE PADDLING POOL					Status				
Date By Checked	01/11/18 RA RBP	Job no 70044842	Drawing no 70044842-WSP-SGN-DR-CB-0023		Schedule no 8/13	Rev A			
Rev		Date	Details			Tel			
			OUTER SEGMENT TYPE B CONCRETE OUTLINE AND REINFORCEMENT			Fax			
Part									

Member	Bar Mark	Type and Size	No of mbrs	No of bars in each	Total no of bars	Length of each bar mm +	Shape Code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Rev letter
Outer Section Type B	08ae	B16	2	1	2	5275	00						
	08af	B16	2	1	2	5325	00						
	08ag	B16	2	1	2	5400	00						
	08ah	B16	2	1	2	5475	00						
	08ai	B16	2	1	2	5525	00						
	08aj	B16	2	1	2	5600	00						
	08ak	B16	2	1	2	5675	00						
	08al	B16	2	1	2	5750	00						
	08am	B16	2	1	2	5800	00						
	08an	B16	2	1	2	5875	00						
	08ao	B16	2	1	2	5950	00						
	08ap	B16	2	1	2	6000	00						
	08aq	B16	2	1	2	6075	00						
	08ar	B16	2	1	2	6150	00						
	08as	B16	2	1	2	6200	00						
	08at	B16	2	1	2	6275	00						
	08au	B16	2	1	2	6350	00						
	08av	B16	2	1	2	6400	00						
	08aw	B16	2	1	2	6475	00						
	08ax	B16	2	1	2	6550	00						
	08ay	B16	2	1	2	6600	00						
	08az	B16	2	1	2	6675	00						
	08ba	B16	2	1	2	6750	00						

This schedule complies with BS 8666:2005

* Specified in multiples of 5 mm.

+ Specified in multiples of 25mm

WSP Group Plc

Project HAMWORTHY PARK, POOLE PADDLING POOL					Status				
Date By Checked	01/11/18 RA RBP	Job no 70044842	Drawing no 70044842-WSP-SGN-DR-CB-0023		Schedule no 9/13	Rev A			
Rev		Date	Details			Tel			
			OUTER SEGMENT TYPE B CONCRETE OUTLINE AND REINFORCEMENT			Fax			
Part									

Member	Bar Mark	Type and Size	No of mbrs	No of bars in each	Total no of bars	Length of each bar mm +	Shape Code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Rev letter
Outer Section Type B	08bb	B16	2	1	2	6800	00						
	08bc	B16	2	1	2	6875	00						
	08bd	B16	2	1	2	6950	00						
	08be	B16	2	1	2	7025	00						
	08bf	B16	2	1	2	7075	00						
	08bg	B16	2	1	2	7150	00						
	08bh	B16	2	1	2	7225	00						
	08bi	B16	2	1	2	7275	00						
	08bj	B16	2	1	2	7350	00						
	08bk	B16	2	1	2	7425	00						
	09a	B16	2	1	2	3850	00						
	09b	B16	2	1	2	3950	00						
	09c	B16	2	1	2	4025	00						
	09d	B16	2	1	2	4125	00						
	09e	B16	2	1	2	4200	00						
	09f	B16	2	1	2	4300	00						
	09g	B16	2	1	2	4375	00						
	09h	B16	2	1	2	4475	00						
	09i	B16	2	1	2	4575	00						
	09j	B16	2	1	2	4650	00						
	09k	B16	2	1	2	4750	00						
	09l	B16	2	1	2	4825	00						
	09m	B16	2	1	2	4925	00						

This schedule complies with BS 8666:2005

* Specified in multiples of 5 mm.

+ Specified in multiples of 25mm

Project HAMWORTHY PARK, POOLE PADDLING POOL					Status			
Date By Checked	01/11/18 RA RBP	Job no 70044842	Drawing no 70044842-WSP-SGN-DR-CB-0023		Schedule no 10/13	Rev A		
Rev	Date	Details				Tel		
OUTER SEGMENT TYPE B CONCRETE OUTLINE AND REINFORCEMENT				Fax				
Part								

Member	Bar Mark	Type and Size	No of mbrs	No of bars in each	Total no of bars	Length of each bar mm +	Shape Code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Rev letter
Outer Section Type B	09n	B16	2	1	2	5025	00						
	09o	B16	2	1	2	5100	00						
	09p	B16	2	1	2	5200	00						
	09q	B16	2	1	2	5275	00						
	09r	B16	2	1	2	5375	00						
	09s	B16	2	1	2	5475	00						
	09t	B16	2	1	2	5550	00						
	09u	B16	2	1	2	5650	00						
	09v	B16	2	1	2	5725	00						
	09w	B16	2	1	2	5825	00						
	09x	B16	2	1	2	5900	00						
	09y	B16	2	1	2	6000	00						
	09z	B16	2	1	2	6100	00						
	09aa	B16	2	1	2	6175	00						
	09ab	B16	2	1	2	6275	00						
	09ac	B16	2	1	2	6350	00						
	09ad	B16	2	1	2	6450	00						
	09ae	B16	2	1	2	6550	00						
	09af	B16	2	1	2	6625	00						
	09ag	B16	2	1	2	6725	00						
	09ah	B16	2	1	2	6800	00						
	09ai	B16	2	1	2	6900	00						
	09aj	B16	2	1	2	7000	00						

This schedule complies with BS 8666:2005

* Specified in multiples of 5 mm.

+ Specified in multiples of 25mm

Project HAMWORTHY PARK, POOLE PADDLING POOL				Status			
Date By Checked	01/11/18 RA RBP	Job no 70044842	Drawing no 70044842-WSP-SGN-DR-CB-0023		Schedule no 11/13		Rev A
Rev	Date	Details					Tel
OUTER SEGMENT TYPE B CONCRETE OUTLINE AND REINFORCEMENT				Fax			
Part							

Member	Bar Mark	Type and Size	No of mbrs	No of bars in each	Total no of bars	Length of each bar mm +	Shape Code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Rev letter
Outer Section Type B	09ak	B16	2	1	2	7075	00						
	09al	B16	2	1	2	7175	00						
	09am	B16	2	1	2	7250	00						
	09an	B16	2	1	2	7350	00						
	09ao	B16	2	1	2	7425	00						
	09ap	B16	2	1	2	7525	00						
	09aq	B16	2	1	2	7625	00						
	09ar	B16	2	1	2	7700	00						
	09as	B16	2	1	2	7800	00						
	09at	B16	2	1	2	7875	00						
	09au	B16	2	1	2	7975	00						
	09av	B16	2	1	2	8075	00						
	09aw	B16	2	1	2	8150	00						
	09ax	B16	2	1	2	8250	00						
	09ay	B16	2	1	2	8325	00						
	09az	B16	2	1	2	8425	00						
	09ba	B16	2	1	2	8525	00						
	09bb	B16	2	1	2	8600	00						
	09bc	B16	2	1	2	8700	00						
	09bd	B16	2	1	2	8775	00						
	09be	B16	2	1	2	8875	00						
	09bf	B16	2	1	2	8950	00						
	09bg	B16	2	1	2	9050	00						

This schedule complies with BS 8666:2005

* Specified in multiples of 5 mm.

+ Specified in multiples of 25mm

WSP Group Plc

Project HAMWORTHY PARK, POOLE PADDLING POOL					Status			
Date By Checked	01/11/18 RA RBP	Job no 70044842	Drawing no 70044842-WSP-SGN-DR-CB-0023		Schedule no 12/13	Rev A		
Rev	Date	Details				Tel		
OUTER SEGMENT TYPE B CONCRETE OUTLINE AND REINFORCEMENT				Fax				
Part								

Member	Bar Mark	Type and Size	No of mbrs	No of bars in each	Total no of bars	Length of each bar mm +	Shape Code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Rev letter
Outer Section Type B	09bh	B16	2	1	2	9150	00						
	09bi	B16	2	1	2	9225	00						
	09bj	B16	2	1	2	9325	00						
	09bk	B16	2	1	2	9400	00						
	10	B16	2	4	8	2875	21	1350	230	(1350)			
	11	B16	2	2	4	8800	00						
	12	B16	2	2	4	8725	00						
	13	B16	2	2	4	10250	00						
	14	B16	2	2	4	10350	00						
	15	B16	2	58	116	8025	00						
Precast Sump Unit	50	B8	2	6	12	2175	21	700	795	(700)			
	51	B12	2	8	16	1750	00						
	52	B8	2	8	16	2200	00						
	53	B16	2	20	40	2400	21	1300	220	(925)			
	54	B8	2	10	20	1650	21	425	820	(425)			
	55	B8	2	12	24	1650	21	460	740	(460)			
	56	B8	2	24	48	1550	22	115	770	50	(660)		
	57	B8	2	6	12	2150	21	700	765	(700)			

This schedule complies with BS 8666:2005

* Specified in multiples of 5 mm.

+ Specified in multiples of 25mm

Project HAMWORTHY PARK, POOLE PADDLING POOL				Status		
Date 01/11/18	Job no 70044842	Drawing no 70044842-WSP-SGN-DR-CB-0023		Total No. of Sheets 13	Rev A	
By RA						
Checked RBP						
Rev	Date	Details OUTER SEGMENT TYPE B CONCRETE OUTLINE AND REINFORCEMENT				Tel
						Fax
Part						

Please Note : Bars prefix "X" are of a grade defined in the design or contract specification.

Reinforcement Weight Summary (Tonnes)

Bar Size (mm)	Straight Bars	Standard Bent Bars	Special Bent Bars	Straight&Bent Grade(X)	Total
6	0.00	0.00	0.00	0.00	0.00
8	13.904	78.566	0.00	0.00	92.47
10	0.00	0.00	0.00	0.00	0.00
12	24.864	345.077	0.00	0.00	369.941
16	5590.04	9151.044	0.00	0.00	14741.084
20	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	0.00
32	0.00	0.00	0.00	0.00	0.00
40	0.00	0.00	0.00	0.00	0.00
50	0.00	0.00	0.00	0.00	0.00
Total	5628.808	9574.687	0.00	0.00	15.203495

Any Mesh Reinforcement on the related bending schedules are not included in the bar weights

Sht	Weight	Sht	Weight	Sht	Weight	Sht	Weight
1	6973.809	9	405.033	17	0.00	25	0.00
2	529.537	10	436.238	18	0.00	26	0.00
3	638.004	11	586.101	19	0.00	27	0.00
4	322.794	12	2134.362	20	0.00	28	0.00
5	434.263	13	0.00	21	0.00	29	0.00
6	1982.505	14	0.00	22	0.00	30	0.00
7	324.295	15	0.00	23	0.00	31	0.00
8	436.554	16	0.00	24	0.00	32	0.00