


Cross section - CH 125.000

J

1:25

1021




Cross section - CH 150.000

K

1:25

1022



Cross section - CH 163.000

L

1:25

1022

- Notes
- All dimensions are in millimetres unless noted otherwise.
  - All levels are in metres relative to Ordnance Datum (OD).
  - All surface types assume foundation of CBR  $\geq$  5% for Made Ground (cohesive) and CBR  $\geq$  20% for Made Ground (granular).


Key to symbols

GL - Ground level

	Structural Concrete		Class 6N Fill
	Blinding Concrete (Non Structural)		Existing Asphalt Layers
	Asphalt Layers		Soil
	Asphalt Layers		Topsoil
	Asphalt base		Granular sub- base
	Existing Wall		

Reference drawings

405363-MMD-FT-XX-DR-C-1021	General Arrangement Plan - Area of Interest 1
405363-MMD-FT-XX-DR-C-1022	General Arrangement Plan - Area of Interest 2
405363-MMD-FT-XX-DR-C-1300	Joint/ Dowel Detail Drawings
405363-MMD-FT-XX-DR-C-1310	Road/ Kerb Detail Drawings
405363-MMD-FT-XX-DR-C-1320	Drainage Detail Drawings
405363-MMD-FT-XX-RA-C-0001	Designer Hazard Elimination Record



P01	25/10/19	LE	First Issue - Draft Detailed Design Drawings	NC	ZH
P02	13/12/19	PJ	Second Issue - Detailed Design Drawings	FL	ZH
P03	31/01/20	LE	Third Issue - Final Detailed Design Drawings	FL	ZH
Rev	Date	Drawn	Description	Ch'k'd	App'd

Status Stamp

**MOTT MACDONALD**

Mott MacDonald House  
8-10 Sydenham Road  
Croydon  
CR0 2EE  
United Kingdom  
T +44 (0)20 8774 2000  
F +44 (0)20 8681 5706  
W www.mottmac.com

Client

**GOSPORT** Borough Council  
**Environment Agency**  
**EASTERN SOLENT COASTAL PARTNERSHIP**

Gosport Borough Council  
Town Hall  
High Street  
Gosport  
PO12 1EB

Title

**Gosport FCERM Forton Cross Sections**

Sheet 4 of 6

Designed	P. JURSIK	PJ	Eng check	F.J.LOY	FL
Drawn	L.ELLINGER	LE	Coordination	N.J.CLARKE	NC
Dwg check	P.JURSIK	PJ	Approved	Z.HUTCHISON	ZH
MMD Project Number	405363	Scale at A1	1:25	Security	STD
Suitability Description	Suitable for Tender	Suit. Code	D2	Revision	P03
Drawing Number	405363-MMD-FT-XX-DR-C-1103				

Safety, Health & Environmental Information

It is assumed that all works will be carried out by a competent contractor working, where appropriate, to an approved method statement.

**CONSTRUCTION**

- Unknown underground structures and potential heritage features (DHER Ref 2).
- Buried services (DHER Ref 5).
- Potential for asbestos in made ground (DHER Ref 6).
- Site traffic interacting with college students and staff (DHER Ref 12).

**ENVIRONMENTAL**

- SPA, Ramsar, SSSI (Intertidal sediment)

**OPERATION AND MAINTENANCE**

- Wall stability reduced if excavation within floodwall foundation footprint coincides with extreme water event. (DHER Ref 16)