

<b>Notes</b> 1. All dimensions are in millimetres unless noted otherwise. 2. All levels are in metres relative to Ordnance Datum Newlyn (OD). 3. All positions are in metres relative to National Grid. 4. All concrete edges to have 25mm chamfer. 5. Concrete grade to be C32/40 as per the Works Specification. 6. Covers to grated channel drains and sump units shall be C250 grade.					
<b>Key to symbols</b>					
<b>Reference drawings</b>					
405363-MMD-FT-XX-DR-C-1021		General Arrangement Plan - Area of Interest 1			
405363-MMD-FT-XX-DR-C-1022		General Arrangement Plan - Area of Interest 2			
405363-MMD-FT-XX-DR-C-1102		Cross Sections - Sheet 3 of 6			
405363-MMD-FT-XX-DR-C-1103		Cross Sections - Sheet 4 of 6			
P01	25/10/19	LE	First Issue - Draft Detailed Design Drawings	NC	ZH
P02	13/12/19	PJ	Second Issue - Detailed Design Drawings	FL	ZH
P03	31/01/20	LE	Third Issue - Final Detailed Design Drawings	FL	ZH
Rev	Date	Drawn	Description	Ch'k'd	App'd
<b>Status Stamp</b>					
<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: left;"> </div> <div style="text-align: right;"> <p>Mott MacDonald House 8-10 Sydenham Road Croydon CR0 2EE United Kingdom T +44 (0)20 8774 2000 F +44 (0)20 8681 5706 W <a href="http://www.mottmac.com">www.mottmac.com</a></p> </div> </div>					
<b>Client</b>					
			Gosport Borough Council Town Hall High Street Gosport PO12 1EB		
<b>Title</b>					
<h1 style="margin: 0;">Gosport FCERM Forton Drainage Detail Drawings</h1> <h2 style="margin: 10px 0 0 0;">Sheet 1 of 1</h2>					
Designed	P. JURSIK	PJ	Eng check	F.J.LOY	FL
Drawn	L.ELLINGER	LE	Coordination	N.J.CLARKE	NC
Dwg check	P.JURSIK	PJ	Approved	Z.HUTCHISON	ZH
MMD Project Number		Scale at A1			Security
405363		1:5			STD
Suitability Description				Suit. Code	
Suitable for Tender				D2	
Drawing Number				Revision	
405363-MMD-FT-XX-DR-C-1320				P03	